

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 05.10.2023 Revision date: 31.03.2023 Version: 4.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Brake and Clutch Cleaner (Aerosol)

Product code : W61479
Vaporizer : Aerosol
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Maintenance product Function or use category : Aerosol propellants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

ITW ADDITIVES INTL B.V. Industriepark-West 46 9100 Sint-Niklaas BELGIUM

T +32 3 766 60 20 - F +32 3 778 16 56 msds@wynns.eu - www.wynns.com

Distributor

Krafft S.L.U.

Carretera de Urnieta, s/n 20140 Andoain - Guipúzcoa

ESPAÑA

T +34 943 410 400 - F +34 943 410 440

msds@krafft.es - www.krafft.es

Distributor

Wynn's Automotive France S.A.S. 2 Av. Léonard de Vinci Z.A. Europarc

33600 PESSAC Cedex

FRANCE

T +33 5 57 26 29 00

contact@wynns.fr - www.wynns.fr

Distributor

ITW Automotive Aftermarket Saxon House, 2-4 Victoria Street

SL4 1EN Windsor UNITED KINGDOM T +44 (0)24 7647 2634

sales@wynns.uk.com - www.wynns.uk.com

1.4. Emergency telephone number

Emergency number : BIG: +32(0)14 58 45 45 (NL FR EN DE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336

Narcosis

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

31.03.2023 (Revision date) EN (English) 1/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP) : Danger

Contains : hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; hydrocarbons, C6, isoalkanes, <5% n-

hexane

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from hot surfaces, open flames, sparks, heat. - No smoking.

P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing vapours, spray.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment. P280 - Wear protective gloves, eye protection.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EC-No.: 927-510-4 REACH-no: 01-2119475515- 33	25 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C6, isoalkanes, <5% n-hexane	EC-No.: 931-254-9 REACH-no: 01-2119484651- 34	25 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Acetone substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
n-Hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412-	1 – 2,5	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411
Cyclohexane	CAS-No.: 110-82-7 EC-No.: 203-806-2 EC Index-No.: 601-017-00-1 REACH-no: 01-2119463273-	0,1 – 1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
n-Hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412-	(5 ≤ C < 100) STOT RE 2, H373

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Vomiting: prevent asphyxia/aspiration pneumonia. Victim in shock: on his back with legs slightly raised. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid

physical strain. If necessary seek medical advice.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

31.03.2023 (Revision date) EN (English) 3/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : If swallowed, rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you

feel unwell. As it is a spray can packaging it is most unlikely that large quantities will be

swallowed.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Vapours may cause drowsiness and dizziness.

Symptoms/effects after inhalation : Depression of the central nervous system, headaches, dizziness, drowsiness, loss of

coordination. May cause respiratory irritation.

Symptoms/effects after skin contact : Dry skin. Red skin. Tingling/irritation of the skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Alcohol resistant foam. ABC-powder. Carbon dioxide.

Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents. Do not

use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Heating may cause a fire or explosion.

Explosion hazard : No direct explosion hazard. Contains gas under pressure; may explode if heated.

Pressurised container: May burst if heated.

Reactivity in case of fire : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Cool closed containers exposed to fire with water spray. In case of major fire and large

quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Prevent fire

fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection. protective clothing. Large spills/in enclosed

spaces: compressed air apparatus.

Emergency procedures : Mark the danger area. Stop engines and no smoking. Keep upwind. Prevent flow to low areas. Use spark-/explosionproof appliances and lighting system. No flames, no sparks.

Eliminate all sources of ignition. Large spills/in confined spaces: consider evacuation. If on

skin, take off contaminated clothing.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

31.03.2023 (Revision date) EN (English) 4/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel

into container for disposal. Wash clothing and equipment after handling.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Meet the legal requirements. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. Avoid contact with skin and eyes. Ensure good ventilation of the work station. Use spark-/explosionproof appliances and lighting system. Presents no particular risk when handled in accordance with good occupational hygiene

practice.

Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Gently wash with plenty of soap and

water. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well-ventilated place. Keep cool.

Storage temperature : < 45 °C

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep away from heat.

Information on mixed storage : Keep away from strong acids and strong oxidizers.

Storage area : Meet the legal requirements. Protect from heat and direct sunlight. Store in a dry place.

Store in a well-ventilated place. Keep container tightly closed. Ventilation along the floor.

Fireproof storeroom.

Special rules on packaging : Meet the legal requirements. Labelling according to.

Packaging materials : Pressurised small gas containers (aerosol cans).

7.3. Specific end use(s)

See product bulletin for detailed information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Acetone (67-64-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	1210 mg/m³
IOEL TWA [ppm]	500 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	1210 mg/m³
OEL TWA [ppm]	500 ppm
OEL STEL	2420 mg/m³
OEL STEL [ppm]	1000 ppm

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)		
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	1210 mg/m³	
CK (OEL STEL)	2420 mg/m³	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	1210 mg/m³	
TGG-8u (OEL TWA) [ppm]	510 ppm	
TGG-15min (OEL STEL)	2420 mg/m³	
TGG-15min (OEL STEL) [ppm]	1020 ppm	
n-Hexane (110-54-3)		
Belgium - Occupational Exposure Limits		
OEL TWA	72 mg/m³	
OEL TWA [ppm]	20 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	72 mg/m³	
Cyclohexane (110-82-7)		
Belgium - Occupational Exposure Limits		
OEL TWA	350 mg/m³	
OEL TWA [ppm]	100 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	700 mg/m³	
Propan-2-ol (67-63-0)		
Belgium - Occupational Exposure Limits		
OEL TWA	500 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1000 mg/m³	
OEL STEL [ppm]	400 ppm	
France - Occupational Exposure Limits		
VLE (OEL C/STEL)	980 mg/m³	
VLE (OEL C/STEL) [ppm]	400 ppm	
The state of the s	·	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	300 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2085 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	149 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	447 mg/m³	
Long-term - systemic effects, dermal	149 mg/kg bodyweight/day	
hydrocarbons, C6, isoalkanes, <5% n-hexane		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	13964 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	5306 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	1301 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1131 mg/m³	
Long-term - systemic effects, dermal	1377 mg/kg bodyweight/day	
Acetone (67-64-1)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	2420 mg/m³	
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1210 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	62 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	200 mg/m³	
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	10,6 mg/l	
PNEC aqua (marine water)	1,06 mg/l	
PNEC aqua (intermittent, freshwater)	21 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	30,4 mg/kg dwt	
PNEC sediment (marine water)	3,04 mg/kg dwt	
PNEC (Soil)		
PNEC soil	29,5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
· ·		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide good ventilation in process area to prevent formation of vapour. Does not require any specific or particular technical measures.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Hand protection:

Nitrile rubber. Neoprene. Butyl rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Not available
Appearance : Aerosol.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available

Boiling point : -48 – 83 °C (Calculated value)

Flammability : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : -20 °C (ASTM D-56)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available
Solubility : partly soluble.
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available

Density : 700 kg/m³ (Calculated value)

Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients $$: 96,2 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

Additional information

: Physical and chemical properties of the active product without gas. The physical and chemical data in this section are typical values for this product and are not intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Stable under normal conditions. Contains gas under pressure; may explode if heated.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion. Heating will cause a rise in pressure with a risk of bursting.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of harmful/irritant gases/vapours. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
LD50 oral rat	> 5840 mg/kg bodyweight Charles River CD	
LD50 dermal rat	> 2800 (≤ 3100) mg/kg bodyweight Charles River CD	
LC50 Inhalation - Rat	> 23,3 mg/l/4h Wistar	
hydrocarbons, C6, isoalkanes, <5% n-hexane		
LD50 oral rat	16750 mg/kg bodyweight Long-Evans	
LD50 dermal rabbit	3350 mg/kg bodyweight New Zealand White	
LC50 Inhalation - Rat	259,354 mg/l/4h Long-Evans	
Acetone (67-64-1)		
LD50 oral rat	5800 mg/kg Sprague-Dawley	
LD50 dermal rabbit	> 15800 mg/kg New Zealand White	
LC50 Inhalation - Rat	76 mg/l/4h Carworth Farms-Nelson	
n-Hexane (110-54-3)		
LD50 oral rat	16000 mg/kg bodyweight Sprague-Dawley	
LD50 dermal rabbit	3350 mg/kg bodyweight New Zealand White	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cyclohexane (110-82-7)	
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 19,07 mg/l/4h Sprague-Dawley
LC50 Inhalation - Rat [ppm]	> 5540 ppm/4h Sprague-Dawley
Propan-2-ol (67-63-0)	,, ,
LD50 oral rat	5940 mg/kg hadwysight Sharman
	5840 mg/kg bodyweight Sherman
LD50 dermal rabbit	13900 mg/kg bodyweight
LC50 Inhalation - Rat	> 25 mg/l Vapour
	Causes skin irritation.
	Causes serious eye irritation.
. ,	Not classified
3 ,	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
	May cause drowsiness or dizziness.
hydrocarbons, C7, n-alkanes, isoalkanes, cyc	
STOT-single exposure	May cause drowsiness or dizziness.
hydrocarbons, C6, isoalkanes, <5% n-hexane	
STOT-single exposure	May cause drowsiness or dizziness.
Acetone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.
n-Hexane (110-54-3)	
STOT-single exposure	May cause drowsiness or dizziness.
Cyclohexane (110-82-7)	
STOT-single exposure	May cause drowsiness or dizziness.
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
n-Hexane (110-54-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
Brake and Clutch Cleaner (Aerosol)	
Vaporizer	Aerosol
hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics
Viscosity, kinematic	< 0,67 mm²/s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes
hydrocarbons, C6, isoalkanes, <5% n-hexane	
Viscosity, kinematic	< 1 mm²/s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)		
Viscosity, kinematic	0,342 mm²/s	
n-Hexane (110-54-3)		
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Cyclohexane (110-82-7)		
Viscosity, kinematic	1,146 mm²/s	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No available data. This product contains hazardous components for the aquatic

environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics LC50 - Fish [1] > 13,4 mg/l @96h Oncorhynchus mykiss EC50 - Crustacea [1] 48h 3 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 10 – 30 mg/l Pseudokirchnerella subcapitata hydrocarbons, C6, isoalkanes, <5% n-hexane LC50 - Fish [1] 96h 12,51 mg/l Oncorhynchus mykiss EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata NOEC chronic algae 8d 530 mg/l microcystis aeroginosa			
EC50 - Crustacea [1] 48h 3 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 10 – 30 mg/l Pseudokirchnerella subcapitata hydrocarbons, C6, isoalkanes, <5% n-hexane LC50 - Fish [1] 96h 12,51 mg/l Oncorhynchus mykiss EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
EC50 - Other aquatic organisms [1] 10 – 30 mg/l Pseudokirchnerella subcapitata hydrocarbons, C6, isoalkanes, <5% n-hexane LC50 - Fish [1] 96h 12,51 mg/l Oncorhynchus mykiss EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
hydrocarbons, C6, isoalkanes, <5% n-hexane LC50 - Fish [1] 96h 12,51 mg/l Oncorhynchus mykiss EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
LC50 - Fish [1] 96h 12,51 mg/l Oncorhynchus mykiss EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
EC50 - Crustacea [1] 48h 23,22 mg/l Daphnia magna EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
Acetone (67-64-1) LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
LC50 - Fish [1] 96h 5540 mg/l oncorhynchus mykiss EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
EC50 - Crustacea [1] 48h 7635 mg/l Daphnia cucullata			
NOEC chronic algae 8d 530 mg/l microcystis aeroginosa			
Cyclohexane (110-82-7)			
LC50 - Fish [1] 96h 4,53 mg/l Pimephales promelas			
EC50 - Crustacea [1] 48h 0,9 mg/l Daphnia magna			
EC50 - Other aquatic organisms [1] 72h 3,4 mg/l Pseudokirchnerella subcapitata			
NOEC (acute) 72h 0,9 mg/l Pseudokirchnerella subcapitata			
Propan-2-ol (67-63-0)			
LC50 - Fish [1] 96h 9640 mg/l pimephales promelas			
EC50 - Crustacea [1] 24h 9714 mg/l daphnia magna			
LOEC (chronic) 1000 mg/l @8d algae			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Brake and Clutch Cleaner (Aerosol)				
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.			
Acetone (67-64-1)				
Persistence and degradability	Readily biodegradable.			
Propan-2-ol (67-63-0)				
Persistence and degradability	Readily biodegradable.			

12.3. Bioaccumulative potential

Acetone (67-64-1)			
Bioaccumulative potential	Bioaccumulation unlikely.		
Propan-2-ol (67-63-0)			
Partition coefficient n-octanol/water (Log Pow)	0,05		
Partition coefficient n-octanol/water (Log Kow)	< 4		
Bioaccumulative potential	No bioaccumulation.		

12.4. Mobility in soil

Acetone (67-64-1)	
Ecology - soil	Expected to be highly mobile in soil.

12.5. Results of PBT and vPvB assessment

Component	
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

European List of Waste (LoW) code

Product/Packaging disposal recommendations

- : Dispose in a safe manner in accordance with local/national regulations. Remove to an authorized waste treatment plant. Do not pierce or burn, even after use.
- : 18 01 06* chemicals consisting of or containing dangerous substances

15 01 11* - metallic packaging containing a dangerous solid porous matrix (e.g. asbestos), including empty pressure containers

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

31.03.2023 (Revision date) EN (English) 12/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID			
14.1. UN number or ID number							
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950			
14.2. UN proper shipping name							
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS			
Transport document descr	iption						
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	(D), ENVIRONMENTALLY		UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS			
14.3. Transport hazard o	class(es)						
2.1	2.1	2.1	2.1	2.1			
2	2	2	2	2			
14.4. Packing group	14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental haz	ards						
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: No	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			
No supplementary information	n available		1				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-usedhome-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 59	Occupational poisoning by hexane	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: n-Hexane is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:		
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.