

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II) Revision date: 12/10/2021 Supersedes version of: 12/02/2019 Version: 3.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Blue Brilliant Polish Product name

Product code 162 : Detergent Type of product Product group Cleaning product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture Vehicle cleaning/vehicle care product

See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CID LINES N.V. Waterpoortstraat, 2 BE-B-8900 leper Belgique

T + 32 57 21 78 77 - F +32 57 21 78 79 sds@cidlines.com - http://www.cidlines.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
USA	American Association of Poison Control Centers		1-800-222-1222	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 H319 Serious eye damage/eye irritation, Category 2 Hazardous to the aquatic environment - Acute Hazard, Category 1 H400 Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP)

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

: Warning

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	5 – 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, Me sulfates (salts)	CAS-No.: 95009-13-5 EC-No.: 305-741-6 REACH-no: Pre-registered	5 – 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Propan-2-ol substance with a Community workplace exposure limit	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 200-661-7	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
bis(2-ethylhexyl) carbonate	CAS-No.: 14858-73-2 EC-No.: 238-925-9 REACH-no: 01-2119980070- 45	1 – 5	Skin Irrit. 2, H315

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenol, ethoxylated	CAS-No.: 9004-78-8 EC-No.: 500-013-6 REACH-no: Pre-registered	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
N,N-dimethyl-C12-16-(even numbered)-alkyl-1- amines	CAS-No.: 68439-70-3 EC-No.: 270-414-6	1 – 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
acetic acid % substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328- 30	<1	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
acetic acid %	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328- 30	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice (show the label where possible). First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in

serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Reactivity in case of fire : At high temperature may liberate dangerous gases.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper

protective equipment, including respiratory protection. Wear fire/flame resistant/retardant

clothing. Heat resistant gloves.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Avoid all unnecessary exposure. Wear suitable protective clothing. Ensure adequate

ventilation. Do not breathe vapours.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Do not breathe vapours. Avoid

contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Do not touch spilled material. Evacuate unnecessary personnel. Stop leak if safe to do so.

Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective

equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to

prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and

safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing.

12/10/2021 (Revision date) EU - en 4/16

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol (111-76-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	2-Butoxyethanol		
IOEL TWA	98 mg/m³		
IOEL TWA [ppm]	20 ppm		
IOEL STEL	246 mg/m³		
IOEL STEL [ppm]	50 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
United Kingdom - Occupational Exposure Limits			
Local name	2-Butoxyethanol		
WEL TWA (OEL TWA) [1]	123 mg/m³		
WEL TWA (OEL TWA) [2]	25 ppm		
WEL STEL (OEL STEL)	246 mg/m³		
WEL STEL (OEL STEL) [ppm]	50 ppm		
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)		
Regulatory reference	EH40/2005 (Third edition, 2018). HSE		
Propan-2-ol (67-63-0)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	983 mg/m³		
IOEL TWA [ppm]	400 ppm		
United Kingdom - Occupational Exposure Limits			
Local name	Draw on 2 of		
	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [1] WEL TWA (OEL TWA) [2]			
	999 mg/m³		
WEL TWA (OEL TWA) [2]	999 mg/m³ 400 ppm		
WEL TWA (OEL TWA) [2] WEL STEL (OEL STEL)	999 mg/m³ 400 ppm 1250 mg/m³		
WEL TWA (OEL TWA) [2] WEL STEL (OEL STEL) WEL STEL (OEL STEL) [ppm]	999 mg/m³ 400 ppm 1250 mg/m³ 500 ppm		
WEL TWA (OEL TWA) [2] WEL STEL (OEL STEL) WEL STEL (OEL STEL) [ppm] Regulatory reference	999 mg/m³ 400 ppm 1250 mg/m³ 500 ppm EH40/2005 (Fourth edition, 2020). HSE		
WEL TWA (OEL TWA) [2] WEL STEL (OEL STEL) WEL STEL (OEL STEL) [ppm] Regulatory reference acetic acid % (64-19-7)	999 mg/m³ 400 ppm 1250 mg/m³ 500 ppm EH40/2005 (Fourth edition, 2020). HSE		

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

acetic acid % (64-19-7)		
IOEL TWA [ppm]	10 ppm	
IOEL STEL	50 mg/m³	
IOEL STEL [ppm]	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
United Kingdom - Occupational Exposure Limits		
Local name	Acetic acid	
WEL TWA (OEL TWA) [1]	25 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	
WEL STEL (OEL STEL)	37 mg/m³	
WEL STEL (OEL STEL) [ppm]	15 ppm	
Regulatory reference	EH40/2005 (Third edition, 2018). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes. Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear, Plastic	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin and body protection	
Туре	Standard
protective clothing	EN14605:2005+A 1:2009

Hand protection:

Wear suitable gloves resistant to chemical penetration

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

рН

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Appearance : clear.
Odour : acid.

Odour threshold : The product has not been tested Melting point : The product has not been tested

Freezing point : -10 °C

Boiling point : The product has not been tested

Flammability : Not applicable
Not flammable

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 60 °C Does not sustain combustion per ASTM D4206

: ≈ 4.5 (100%)

Auto-ignition temperature : The product has not been tested Decomposition temperature : The product has not been tested

Viscosity, kinematic : Not available Solubility : Water: 100 %

Ethanol: The product has not been tested Ether: The product has not been tested Acetone: The product has not been tested Organic solvent:The product has not been tested

Partition coefficient n-octanol/water (Log Kow) : The product has not been tested
Partition coefficient n-octanol/water (Log Pow) : The product has not been tested

Vapour pressure : The product has not been tested Vapour pressure at 50°C : The product has not been tested Critical pressure : The product has not been tested Critical pressure : The product has not been tested

Density : $\approx 0.96 \text{ kg/l}$

Relative density : The product has not been tested

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Relative vapour density at 20°C : The product has not been tested Relative density of saturated gas/air mixture : The product has not been tested

Particle size Not applicable Particle size distribution Not applicable Particle shape Not applicable Particle aspect ratio Not applicable Particle aggregation state Not applicable Particle agglomeration state Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility : Yes

Critical temperature : The product has not been tested

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : The product has not been tested Relative evaporation rate (ether=1) : The product has not been tested Relative evaporation rate (water=1) : The product has not been tested Relative evaporation rate (ethanol=1) : The product has not been tested

VOC content : 150 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-butoxyethanol (111-76-2)		
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301	
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961	

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2-butoxyethanol (111-76-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	3.1 mg/l
ATE CLP (oral)	1746 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	3.1 mg/l/4h
ATE CLP (dust,mist)	3.1 mg/l/4h
Propan-2-ol (67-63-0)	
LD50 oral rat	4700 – 5500 mg/kg
LC50 Inhalation - Rat	46 – 73 mg/l/4h
ATE CLP (oral)	4700 mg/kg bodyweight
ATE CLP (vapours)	46 mg/l/4h
ATE CLP (dust,mist)	46 mg/l/4h
bis(2-ethylhexyl) carbonate (14858-73-2)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
acetic acid % (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 oral	4960 mg/kg bodyweight Animal: mouse, Remarks on results: other:
ATE CLP (oral)	3310 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	pH: ≈ 4.5 (100%) : Causes serious eye irritation. pH: ≈ 4.5 (100%)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified : Not classified
Carcinogenicity N,N-dimethyl-C12-16-(even numbered)-alky	
NOAEL (chronic, oral, animal/male, 2 years)	42.3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453
NOALL (Chronic, Oral, annual/maic, 2 years)	(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
NOAEL (chronic, oral, animal/female, 2 years)	52.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2-butoxyethanol (111-76-2)	
LOAEL (dermal, rat/rabbit, 90 days)	> Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:
bis(2-ethylhexyl) carbonate (14858-73-	2)
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
acetic acid % (64-19-7)	
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male
Aspiration hazard	: Not classified

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Irritating to eyes and skin.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

(GITOTIIC)		
2-butoxyethanol (111-76-2)		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'	
bis(2-ethylhexyl) carbonate (14858-73-2)		
LC50 - Fish [1]	> 0.0234 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	> 0.0197 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0.0214 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	1411 mg/l Test organisms (species):	
NOEC chronic fish	0.11 mg/l Test organisms (species):	
N,N-dimethyl-C12-16-(even numbered)-alkyl-1-amines (68439-70-3)		
LOEC (chronic)	0.108 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

acetic acid % (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 300 mg/l
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum
ErC50 algae	> 300 mg/l

12.2. Persistence and degradability

Blue Brilliant Polish	
Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
Propan-2-ol (67-63-0)	
Biodegradation	95 %

12.3. Bioaccumulative potential

Blue Brilliant Polish		
Partition coefficient n-octanol/water (Log Pow)	The product has not been tested	
Partition coefficient n-octanol/water (Log Kow)	The product has not been tested	
2-butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81	
Propan-2-ol (67-63-0)		
Partition coefficient n-octanol/water (Log Kow)	0.05	
acetic acid % (64-19-7)		
Partition coefficient n-octanol/water (Log Kow)	-0.17	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.

Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe

manner in accordance with local/national regulations.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : When totally empty, containers are recyclable like any other packing. Dispose in a safe

manner in accordance with local/national regulations. Avoid release to the environment.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyldimethylamines)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyldimethylamines)
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Alkyldimethylamines)

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyldimethylamines)

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyldimethylamines)

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Alkyldimethylamines), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Alkyldimethylamines), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Alkyldimethylamines), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Alkyldimethylamines), 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.


(Alkyldimethylamines), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)

Danger labels (ADR)



IMDG

Transport hazard class(es) (IMDG) :

Danger labels (IMDG)




Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9




ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

12/10/2021 (Revision date)

and handling (ADR)

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 150 g/l

Other information, restriction and prohibition

regulations

: Ensure all national/local regulations are observed. PIC Regulation (649/2012) - Export and Import of hazardous chemicals. Listed on the PIC list (Regulation EU 649/2012): {0}.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

12/10/2021 (Revision date) EU - en 15/16

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Full text of H- and EUH-statements:	
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.