

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: AREON HOME PERFUME VANILLA 85ML

Product code: PS4, PSXV02.

1.2. Relevant identified uses of the substance or mixture and uses advised against

AIR FRESHENER

1.3. Details of the supplier of the safety data sheet

Registered company name: BALEV CORPORATION EOOD.

Address: 260, BLVD VLADISLAV VARNENCHIK.9000.VARNA.BULGARIA.

Telephone: +35929502000. Fax: +35929502002.

office@areon-fresh.com www.areon-fresh.com

1.4. Emergency telephone number: 112.

Association/Organisation: NA.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 2 (Flam. Liq. 2, H225).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







GHS02

GHS07

GHS09

Signal Word: DANGER

Product identifiers:

601-029-00-7

(R)-P-MENTHA-1,8-DIENE

EC 202-983-3 ALPHA-HEXYLCINNAMALDEHYDE

LIMONENE 601-029-00-7

EC 204-262-9 BENZYL SALICYLATE

EC 220-292-5 ALLYL CYCLOHEXANEPROPIONATE

EC 202-086-7 COUMARIN

1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE EC 245-833-2

Hazard statements:

Highly flammable liquid and vapour. H225 H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Toxic to aquatic life with long lasting effects. H411

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. Read label before use. P103

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

(EC) 1070/0000

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements - Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Mata

0/

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 64-17-5	GHS02, GHS07	[1]	50 <= x % < 100
EC: 200-578-6	Dgr		
	Eye Irrit. 2, H319		
ETHYL ALCOHOL	Flam. Liq. 2, H225		
CAS: 56539-66-3	GHS07		10 <= x % < 25
EC: 260-252-4	Wng		
20.200 202 .	Eye Irrit. 2, H319		
3-METHOXY-3-METHYL-1-BUTANOL	Eye IIII. 2, 11319		
CAS: 84-66-2		[1]	2.5 <= x % < 10
EC: 201-550-6		[1]	2.5 <= x /0 < 10
EC. 201-330-0			
DIETHYL PHTHALATE			
INDEX: 601-029-00-7	GHS02, GHS07, GHS09	[1]	0 <= x % < 2.5
CAS: 5989-27-5	Wng	[1]	0 <= x /6 < 2.3
EC: 227-813-5	Flam. Liq. 3, H226		
D. D	Skin Irrit. 2, H315		
(R)-P-MENTHA-1,8-DIENE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 101-86-0	GHS07, GHS09		$0 \le x \% < 2.5$
EC: 202-983-3	Wng		
	Skin Sens. 1B, H317		
ALPHA-HEXYLCINNAMALDEHYDE	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 78-70-6	GHS07		$0 \le x \% < 2.5$
EC: 201-134-4	Wng		0 1 170 1 210
201 101 1	Eye Irrit. 2, H319		
LINALOOL	Skin Irrit. 2, H315		
INDEX: 601-029-00-7	GHS02, GHS07, GHS09		0 <= x % < 2.5
CAS: 138-86-3	Wng		0 \- A /0 \ 2.3
EC: 205-341-0	Flam. Liq. 3, H226		
EC. 203-341-0	Skin Irrit. 2, H315		
LIMONENE			
LIMONENE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

CAS: 118-58-1 GC: 204-262-9 Wng Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 123-68-2 GC: 204-642-4 ALLYL HEXANOATE ALLYL HEXANOATE GC: 204-642-4 Aquatic Chronic 3, H311 Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 123-68-2 GC: 204-642-4 ALLYL HEXANOATE ALLYL HEXANOATE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Chronic 3, H412 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Aquatic Chronic 3, H412 CAS: 123-68-2 GC: 204-642-4 ALLYL HEXANOATE ALLYL HEXANOATE Acute Tox. 3, H311 Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
CAS: 123-68-2 GHS06, GHS09 Dgr Acute Tox. 3, H311 ALLYL HEXANOATE ALLYL Tox. 3, H331 Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Dgr Acute Tox. 3, H311 ALLYL HEXANOATE ALLYL HEXANOATE Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
ACUTE TOX. 3, H311 ACUTE TOX. 3, H331 ACUTE TOX. 3, H331 ACUTE TOX. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
ALLYL HEXANOATE Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Acute Tox. 3, H301 Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Aquatic Chronic 3, H412 Aquatic Acute 1, H400
Aquatic Acute 1, H400
M Acute = 1
CAS: 2705-87-5 GHS09 0 <= x % < 2.5
C: 220-292-5 Wng
Acute Tox. 4, H312
ALLYL CYCLOHEXANEPROPIONATE Acute Tox. 4, H332
Acute Tox. 4, H302
Skin Sens. 1, H317
Aquatic Acute 1, H400
M Acute = 1
Aquatic Chronic 1, H410
M Chronic = 1
CAS: 142-19-8 GHS06, GHS09 0 <= x % < 2.5
C: 205-527-1 Dgr
Acute Tox. 3, H311
ALLYL HEPTANOATE Acute Tox. 3, H331
Acute Tox. 3, H301
Aquatic Chronic 3, H412
Aquatic Acute 1, H400
M Acute = 1
CAS: 91-64-5 GHS07 $0 \le x \% < 2.5$
CC: 202-086-7 Wng
Acute Tox. 4, H302
COUMARIN Skin Sens. 1B, H317
CAS: 23696-85-7 GHS09 0 <= x % < 2.5
C: 245-833-2 Wng
Skin Sens. 1A, H317
-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIEN Aquatic Chronic 2, H411
YL)-2-BUTEN-1-ONE

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Flammable

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically conductive.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Do not store below 5 degrees C and above 30 degrees C

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5		1000 ppm		A3	
84-66-2	5 mg/m3			A4	

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME:	VME:	Excess	Notes
64-17-5		500 ppm		2(II)
		960 mg/m3		
5989-27-5		5 ppm		4(II)
		28 mg/m3		

- France (INRS - ED984 :2012) :

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
64-17-5	1000	1900	5000	9500	-	84
84-66-2	-	5	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

		,	, , .		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5	1000 ppm				
	1920 mg/m3				
84-66-2	5 mg/m3	10 mg/m3			

8.2. Exposure controls

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH : Not relevant. Boiling point/boiling range : $> 35^{\circ}\text{C}$ Flash Point : 18.50°C .

Method for determining the flash point:

ISO 13736 (Determination of flash point - Abel closed-cup method).

Vapour pressure (50°C): Between 110 kPa and 175 kPa inclusive.

Density:

Water solubility: Partially soluble.

Melting point/melting range: Not specified.

Self-ignition temperature: Not specified.

Decomposition point/decomposition range: Not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

COUMARIN (CAS: 91-64-5)

Oral route : LD50 = 500 mg/kg

ALLYL HEPTANOATE (CAS: 142-19-8)

Oral route : LD50 = 218 mg/kg

Dermal route : LD50 = 810 mg/kg

ALLYL CYCLOHEXANEPROPIONATE (CAS: 2705-87-5)

Oral route: LD50 = 480 mg/kg

Dermal route : LD50 = 1600 mg/kg

ALLYL HEXANOATE (CAS: 123-68-2)

Oral route: LD50 = 300 mg/kg

Dermal route : LD50 = 300 mg/kg

BENZYL SALICYLATE (CAS: 118-58-1)

Oral route : LD50 = 2200 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route: LD50 = 2790 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route: LD50 = 3100 mg/kg

3-METHOXY-3-METHYL-1-BUTANOL (CAS: 56539-66-3)

Oral route: LD50 = 4400 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

14.1. UN number

1266

14.2. UN proper shipping name

UN1266=PERFUMERY PRODUCTS

14.3. Transport hazard class(es)

- Classification:

3

14.4. Packing group

II

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

Land transport (ADR/RID): The item meets the requirements of Chapter 3.4. ADR for inner and outer packaging for which reason is classified as "Limited quantity".

Sea transport (IMDG): The item meets the requirements of IMDG code chapter 3.4 for inner and outer packaging for which reason is classified as "Limited quantity". Following the provisions of item 3.4.4.2 IMDG for limited quantity no segregation regulations are applicable.

Air transport (IATA) - as per Special Provision A112 and Packing Instruction Y963, ID number: 8000, Proper shipping name: Consumer commodity, IATA Class: 9, Packing group: none. The item meets the requirements of IATA Packing intructions Y963 for inner and outer packaging for which reason is classified as "Limited quantity" for passenger airraft and cargo aircraft.

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	II	3	33	5 L	163 640C	E2	2	D/E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	3	-	II	5 L	F-E,S-D	163	E2			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	3	-	II	353	5 L	364	60 L	A3 A72	E2	
	3	-	II	Y341	1 L	-	-	A3 A72	E2	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

H332	Harmful if inhaled.
H400	Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

GHS02: Flame

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.