

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II) Revision date: 13/04/2022 Supersedes version of: 23/12/2019 Version: 5.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name Super Polish Blue

Product code 694 Type of product : Detergent Product group Cleaning product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture Vehicle cleaning/vehicle care product

See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CID LINES N.V. Waterpoortstraat, 2 BE-B-8900 leper Belgique

T + 32 57 21 78 77 - F +32 57 21 78 79 sds@cidlines.com - http://www.cidlines.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
USA	American Association of Poison Control Centers		1-800-222-1222	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 H319 Serious eye damage/eye irritation, Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodiumsec-alkane(C14-17)sulfonate	CAS-No.: 97489-15-1 EC-No.: 307-055-2 REACH-no: 01-2119489924- 20	5 – 15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	1 – 5	Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
Sodiumsec-alkane(C14-17)sulfonate	CAS-No.: 97489-15-1 EC-No.: 307-055-2 REACH-no: 01-2119489924- 20	(10 <c 15)="" 2,="" h315<br="" irrit.="" skin="" ≤="">(10 <c 15)="" 2,="" eye="" h319<br="" irrit.="" ≤="">(15 <c 2,="" 60)="" h315<br="" irrit.="" skin="" ≤="">(15 <c 1,="" 60)="" dam.="" eye="" h318<br="" ≤="">(60 <c (oral),="" 100)="" 4="" <="" acute="" h302<br="" tox.="">(60 <c 100)="" 2,="" <="" h315<br="" irrit.="" skin="">(60 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c></c></c></c></c></c>		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Redness, pain. Blurred vision. Tears.

Symptoms/effects after ingestion : Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth,

throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in

serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper

protective equipment, including respiratory protection. Wear fire/flame resistant/retardant

clothing. Heat resistant gloves.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

13/04/2022 (Revision date) EU - en 3/14

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory

and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Avoid all unnecessary exposure. Wear suitable protective clothing. Ensure adequate

ventilation. Do not breathe vapours.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Do not breathe vapours. Avoid

contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Do not touch spilled material. Evacuate unnecessary personnel. Stop leak if safe to do so.

Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to

prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Handle in accordance with good industrial hygiene and

safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable

metal. Keep container closed when not in use. Protect from freezing.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

	2-(2-butoxyethoxy)ethanol (112-34-5)		
	EU - Indicative Occupational Exposure Limit (IOEL)		
Local name		2-(2-Butoxyethoxy)ethanol	
IOEL TWA 6		67.5 mg/m³	

13/04/2022 (Revision date) EU - en 4/14

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2-(2-butoxyethoxy)ethanol (112-34-5)			
IOEL TWA [ppm]	10 ppm		
IOEL STEL	101.2 mg/m³		
IOEL STEL [ppm]	15 ppm		
Regulatory reference COMMISSION DIRECTIVE 2006/15/EC			
United Kingdom - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
WEL TWA (OEL TWA) [1]	67.5 mg/m³		
WEL TWA (OEL TWA) [2]	10 ppm		
WEL STEL (OEL STEL) 101.2 mg/m³			
WEL STEL (OEL STEL) [ppm]	15 ppm		
Regulatory reference	EH40/2005 (Third edition, 2018). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

8.1.4. DNEL and PNEC			
2-(2-butoxyethoxy)ethanol (112-34-5)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	101.2 mg/m³		
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	67.5 mg/m³		
Long-term - local effects, inhalation	67.5 mg/m³		
DNEL/DMEL (General population)			
Acute - local effects, inhalation	60.7 mg/m³		
Long-term - systemic effects,oral	5 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	40.5 mg/m³		
Long-term - systemic effects, dermal	50 mg/kg bodyweight/day		
Long-term - local effects, inhalation	40.5 mg/m³		
PNEC (Water)			
PNEC aqua (freshwater)	1.1 mg/l		
PNEC aqua (marine water)	0.11 mg/l		
PNEC aqua (intermittent, freshwater)	11 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	4.4 mg/kg dwt		
PNEC sediment (marine water)	0.44 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.32 mg/kg dwt		
PNEC (Oral)			
PNEC oral (secondary poisoning)	56 mg/kg food		

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2-(2-butoxyethoxy)ethanol (112-34-5)				
PNEC (STP)				
PNEC sewage treatment plant	200 mg/l			
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)				
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	175 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	15 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	52 mg/m³			
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	0.24 mg/l			
PNEC aqua (marine water)	0.024 mg/l			
PNEC aqua (intermittent, freshwater)	0.071 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	0.9168 mg/kg dwt			
PNEC sediment (marine water)	0.09168 mg/kg dwt			
PNEC (Soil)				
PNEC soil	7.5 mg/kg dwt			
PNEC (STP)				
PNEC sewage treatment plant	10 g/l			
Sodiumsec-alkane(C14-17)sulfonate (97489-15-1)				
DNEL/DMEL (Workers)				
Acute - local effects, dermal	2.8 mg/cm²			
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day			
Long-term - local effects, dermal	2.8 mg/cm²			
Long-term - systemic effects, inhalation	35 mg/m³			
DNEL/DMEL (General population)				
Acute - local effects, dermal	2.8 mg/cm²			
Long-term - systemic effects,oral	7.1 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	12.4 mg/m³			
Long-term - systemic effects, dermal	3.57 mg/kg bodyweight/day			
Long-term - local effects, dermal	2.8 mg/cm²			
PNEC (Water)				
PNEC aqua (freshwater)	0.04 mg/l			
PNEC aqua (marine water)	0.004 mg/l			
PNEC aqua (intermittent, freshwater)	0.06 mg/l			

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Sodiumsec-alkane(C14-17)sulfonate (97489-15-1)			
PNEC (Sediment)			
PNEC sediment (freshwater)	9.4 mg/kg dwt		
PNEC sediment (marine water)	0.94 mg/kg dwt		
PNEC (Soil)			
PNEC soil	9.4 mg/kg dwt		
PNEC (Oral)			
PNEC oral (secondary poisoning) 53.3 mg/kg food			
PNEC (STP)			
PNEC sewage treatment plant	600 mg/l		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses	Droplet	clear, Plastic	EN 166	

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

Skin and body protection		
Туре	Standard	
protective clothing	EN14605:2005+A 1:2009	

Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.4	2 (< 1.5)	EN ISO 374

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

8.2.2.3. Respiratory protection

Respiratory protection:

No special protection required where adequate ventilation is maintained

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : dark blue.
Odour : Fruity.

Odour threshold : The product has not been tested Melting point : The product has not been tested Freezing point : The product has not been tested Boiling point : The product has not been tested

Flammability : Not applicable

Not flammable

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : The product is not flammable

Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 60 °C

Auto-ignition temperature : The product has not been tested Decomposition temperature : The product has not been tested pH : $\approx 5.5 (100\%)$

Viscosity, kinematic : Not available Solubility : Water: 100 %

Solubility : Water: 100 %

Ethanol: The product has not been tested

Ether: The product has not been tested Acetone: The product has not been tested Organic solvent:The product has not been tested

Partition coefficient n-octanol/water (Log Kow)

Partition coefficient n-octanol/water (Log Pow)

The product has not been tested

Density : ≈ 1.025 kg/l

Relative density : The product has not been tested Relative vapour density at 20 °C : The product has not been tested Relative density of saturated gas/air mixture : The product has not been tested

Not applicable Particle size Particle size distribution : Not applicable Particle shape Not applicable Particle aspect ratio Not applicable Particle aggregation state : Not applicable Particle agglomeration state Not applicable Particle specific surface area Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Critical temperature : The product has not been tested

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)

Relative evaporation rate (ether=1)

Relative evaporation rate (water=1)

Relative evaporation rate (water=1)

Relative evaporation rate (ethanol=1)

The product has not been tested to the product has not been tested

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

acid. Aluminium.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LD50 dermal rabbit 2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645

Sodiumsec-alkane(C14-17)sulfonate (97489-15-1)

LD50 oral rat	500 – 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral
	Toxicity)

Skin corrosion/irritation : Causes skin irritation.

pH: ≈ 5.5 (100%)

Serious eye damage/irritation : Causes serious eye irritation.

pH: ≈ 5.5 (100%)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

2-(2-butoxyethoxy)ethanol (112-34-5)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Aspiration hazard :	Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(Gillottic)		
2-(2-butoxyethoxy)ethanol (112-34-5)		
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)		
LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	7.2 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	7.4 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	
Sodiumsec-alkane(C14-17)sulfonate (97489-15-1)		
LC50 - Fish [1]	5.5 mg/l Test organisms (species): Leuciscus idus melanotus	
LC50 - Fish [2]	8.4 mg/l Test organisms (species): Leuciscus idus melanotus	
EC50 - Crustacea [1]	9.2 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	9.8 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 61 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	1.6 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
	•	

13/04/2022 (Revision date) EU - en 10/14

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

12.2. Persistence and degradability

Super Polish Blue	
Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

Super Polish Blue		
Partition coefficient n-octanol/water (Log Pow)	The product has not been tested	
Partition coefficient n-octanol/water (Log Kow)	The product has not been tested	
2-(2-butoxyethoxy)ethanol (112-34-5)		
Partition coefficient n-octanol/water (Log Kow)	1	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods

: Dispose of this material and its container at hazardous or special waste collection point.

Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe

manner in accordance with local/national regulations.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

: When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Waste disposal according to Directive 2008/98/EC, covering waste and dangerous waste.

Act of 13 June 2013 on the management of packaging and packaging waste (J. o L. 2013, item 888 as amended; consolidated text J. o L. 2020, item 1114). Dispose of in accordance

with the European Directives on waste and hazardous waste.

European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

13/04/2022 (Revision date) EU - en 12/14

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Other information, restriction and prohibition regulations

: Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

Allergenic fragrances > 0,01%:

EUGENOL CINNAMYL ALCOHOL

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

SDSCLP3

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.