

## Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 21/11/2022 Revision date: 28/09/2021 Version: 6.01

## 1.1. Product identifier

Product form : Mixture

Product name : Starting Fluid (Aerosol)

Product code : W58055
Vaporizer : Aerosol
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Product with high evaporation rate, for start help of engines.

Function or use category : Aerosol propellants

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

ITW ADDITIVES INTL B.V. Industriepark-West 46 9100 Sint-Niklaas

Belgium

T +32 3 766 60 20 - F +32 3 778 16 56 <u>msds@wynns.eu</u> - <u>www.wynns.com</u>

#### 1.4. Emergency telephone number

Emergency number : BIG: +32(0)14 58 45 45 (NL FR EN DE)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS09

Signal word (CLP) : Dange

Contains : Diethyl ether, hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

GHS02

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H302 - Harmful if swallowed.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing vapours, spray.

P280 - Wear protective gloves.

P271 - Use only outdoors or in a well-ventilated area.

P102 - Keep out of reach of children.

P210 - Keep away from heat, open flames, hot surfaces, sparks. - No smoking.

P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

EUH-statements : EUH019 - May form explosive peroxides.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diethyl ether substance with a Community workplace exposure limit	CAS-No.: 60-29-7 EC-No.: 200-467-2 EC Index-No.: 603-022-00-4 REACH-no: 01-2119535785- 29	25 – 50	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 STOT SE 3, H336 EUH019, EUH066
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EC-No.: 927-510-4 REACH-no: 01-2119475515- 33	10 – 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
hydrocarbons, C6, isoalkanes, <5% n-hexane	EC-No.: 931-254-9 REACH-no: 01-2119484651- 34	10 – 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 927-285-2 REACH-no: 01-2119480162- 45	2,5 – 5	Asp. Tox. 1, H304 EUH066

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain

adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid

physical strain. If necessary seek medical advice.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

Aerosol can. Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Depression of the central nervous system, headaches, dizziness, drowsiness, loss of

coordination. May cause respiratory irritation. Nausea.

Symptoms/effects after skin contact : Causes skin irritation. Red skin. Dry skin.

Symptoms/effects after eye contact : May cause slight irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. AFFF foam. ABC-powder. Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Gas/vapour spreads at floor level: ignition hazard.

Gas/vapour flammable with air within explosion limits.

Explosion hazard : Pressurised container: May burst if heated. May form explosive peroxides.

Reactivity in case of fire : Upon combustion: CO and CO2 are formed.

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. In case of major fire and large

quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection. protective clothing. Large spills/in enclosed

spaces: compressed air apparatus.

Emergency procedures : Mark the danger area. Stop engines and no smoking. Keep upwind. No flames, no sparks.

Eliminate all sources of ignition. Use explosion-proof equipment. Prevent flow to low areas.

Take off contaminated clothing.

28/09/2021 (Revision date) EN (English) 3/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.1.2. For emergency responders

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel

into container for disposal. Clean preferably with a detergent - Avoid the use of solvents.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Do not pierce or burn, even after use.

Precautions for safe handling : Meet the legal requirements. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Presents no particular risk when handled in accordance with good occupational hygiene practice.

Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Gently wash with plenty of soap and

water.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide good ventilation in process area to prevent formation of vapour. Take precautionary

measures against static discharge.

Storage conditions : Meet the legal requirements. Protect from sunlight. Do not expose to temperatures

exceeding 50°C/122°F. Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

Storage temperature :  $\leq$  45 °C

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Information on mixed storage : Keep away from strong acids and strong oxidizers.

Storage area : Meet the legal requirements. Protect from heat and direct sunlight. Store in a dry place.

Fireproof storeroom. Ventilation along the floor.

Special rules on packaging : Meet the legal requirements. Labelling according to.

Packaging materials : Aerosol.

#### 7.3. Specific end use(s)

See product bulletin for detailed information.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Diethyl ether (60-29-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 308 mg/m³		
IOEL TWA [ppm]	100 ppm	
IOEL STEL	616 mg/m³	
IOEL STEL [ppm]	200 ppm	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diethyl ether (60-29-7)		
Belgium - Occupational Exposure Limits		
OEL TWA 308 mg/m³		
OEL TWA [ppm]	100 ppm	
OEL STEL 616 mg/m³		
OEL STEL [ppm]	200 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA) 308 mg/m³		
CK (OEL STEL)	616 mg/m³	

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

8.1.4. DNEL and PNEC			
Diethyl ether (60-29-7)			
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	616 mg/m³		
Long-term - systemic effects, dermal	44 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	308 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	15,6 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	54,5 mg/m³		
Long-term - systemic effects, dermal	15,6 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	2 mg/l		
PNEC aqua (marine water)	0,2 mg/l		
PNEC aqua (intermittent, freshwater)	1,65 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	9,14 mg/kg dwt		
PNEC sediment (marine water)	0,914 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0,66 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	4,2 mg/l		
hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics		
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	300 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2085 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	149 mg/kg bodyweight/day		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
Long-term - systemic effects, inhalation 447 mg/m³		
Long-term - systemic effects, dermal	149 mg/kg bodyweight/day	
hydrocarbons, C6, isoalkanes, <5% n-hexane		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal 13964 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	5306 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral 1301 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	1131 mg/m³	
Long-term - systemic effects, dermal	1377 mg/kg bodyweight/day	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide good ventilation in process area to prevent formation of vapour. Does not require any specific or particular technical measures.

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Gloves. Safety glasses.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

No additional information available

## 8.2.2.2. Skin protection

#### Hand protection:

Neoprene. Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer

#### 8.2.2.3. Respiratory protection

No additional information available

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Other information:

Breakthrough time : >30'. Thickness of the glove material >0,1 mm.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Appearance Aerosol Odour characteristic. Odour threshold Not available Melting point Not available Not available Freezing point -42 - 250 °C Boiling point Flammability Not available **Explosive limits** 0.7 - 48 vol % Lower explosion limit : Not available Upper explosion limit : Not available · < -20 °C Flash point Auto-ignition temperature Not available Decomposition temperature Not available Not available pН : < 1 mm<sup>2</sup>/s @40°C Viscosity, kinematic Solubility · insoluble in water Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 4,5 bar @25°C Vapour pressure at 50°C : Not available Density : 630 kg/m³ @20°C : Not available Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Explosion limits : 0,7 – 48 vol %

% of flammable ingredients : 99,9

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 37,5

Additional information : The physical and chemical data in this section are typical values for this product and are not

intended as product specifications.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions. May form explosive peroxides.

#### 10.3. Possibility of hazardous reactions

Pressurized container. On heating there is a risk of bursting due to internal pressure build-up. No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from strong acids and strong oxidizers

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May form explosive peroxides. Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of harmful/irritant gases/vapours. Carbon monoxide. Carbon dioxide.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 11: Toxicological information**

44.4 Information	on hazard classes	a ac defined in I	Dogulation (EC)	Na 4272/2000
	on nazaro ciasse	s as defined in	Reduiation (FC	1 NO 12/2/2000

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Starting Fluid (Aerosol)			
ATE CLP (oral) 500 mg/kg bodyweight			
Diethyl ether (60-29-7)			
LD50 oral rat	1600 mg/kg bodyweight Sprague-Dawley		
LD50 dermal rabbit	> 20000 mg/kg bodyweight @24h New Zealand White		
LC50 Inhalation - Rat	97 mg/l/4h		
LC50 Inhalation - Rat [ppm]	32000 ppm/4h		
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics			
LD50 oral rat	> 5840 mg/kg bodyweight Charles River CD		
LD50 dermal rat	> 2800 (≤ 3100) mg/kg bodyweight Charles River CD		
LC50 Inhalation - Rat	> 23,3 mg/l/4h Wistar		
hydrocarbons, C6, isoalkanes, <5% n-hexane			
LD50 oral rat	16750 mg/kg bodyweight Long-Evans		
LD50 dermal rabbit	3350 mg/kg bodyweight New Zealand White		
LC50 Inhalation - Rat	259,354 mg/l/4h Long-Evans		
Skin corrosion/irritation :	Causes skin irritation.		

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

## Diethyl ether (60-29-7)

STOT-single exposure May cause drowsiness or dizziness.

## hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

STOT-single exposure May cause drowsiness or dizziness.

## hydrocarbons, C6, isoalkanes, <5% n-hexane

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Aerosol

## **Starting Fluid (Aerosol)**

Vaporizer

Viscosity, kinematic < 1 mm²/s @40°C

## hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Viscosity, kinematic < 0,67 mm²/s

Aliphatic, alicyclic or aromatic hydrocarbon Yes

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hydrocarbons, C6, isoalkanes, <5% n-hexane		
Viscosity, kinematic < 1 mm²/s		
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Viscosity, kinematic < 1,75 mm²/s		
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : This product contains hazardous components for the aquatic environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

acute

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

, memo,				
Diethyl ether (60-29-7)				
LC50 - Fish [1] 96h 2560 mg/l Pimephales promelas				
EC50 - Other aquatic organisms [1]	> 100 mg/l @72h Desmodesmus subspicatus			
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics				
LC50 - Fish [1] > 13,4 mg/l @96h Oncorhynchus mykiss				
EC50 - Crustacea [1] 48h 3 mg/l Daphnia magna				
EC50 - Other aquatic organisms [1]	10 – 30 mg/l Pseudokirchnerella subcapitata			
hydrocarbons, C6, isoalkanes, <5% n-hexane				
LC50 - Fish [1]	96h 12,51 mg/l Oncorhynchus mykiss			
EC50 - Crustacea [1]	48h 23,22 mg/l Daphnia magna			
EC50 - Other aquatic organisms [1] 72h 13,56 mg/l Pseudokirchneriella subcapitata				

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use. Remove to an authorized waste treatment plant.

European List of Waste (LoW) code

: 16 05 04\* - gases in pressure containers (including halons) containing dangerous

substances

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG IATA ADN		RID	
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS			UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
2	2	2	2	**************************************
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: No	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available		<u>I</u>	I.

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Packages (ADR) : V14 Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Ethyl ether	Diethyl ether	60-29-7	2909 11 00	Category 3		Annex I

## 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

: None of the components are listed

**Danish National Regulations** Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

28/09/2021 (Revision date) EN (English) 12/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Switzerland**

Storage class (LK) : LK 2 - Liquefied or pressurized gases

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH019	May form explosive peroxides.
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H222	Extremely flammable aerosol.
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

28/09/2021 (Revision date) EN (English) 13/13