

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : MON AREON NEW CAR Product code : MA27.

1.2. Relevant identified uses of the substance or mixture and uses advised against AIR FRESHENER

1.3. Details of the supplier of the safety data sheet

Registered company name : BALEV CORPORATION EOOD.

Address : 260, BLVD VLADISLAV VARNENCHIK.9000.VARNA.BULGARIA.

Telephone : +35929502000. Fax : +35929502002.

office@areon-fresh.com

www.areon-fresh.com

### 1.4. Emergency telephone number : 112.

Association/Organisation : NA.

## SECTION 2 : HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1A (Skin Sens. 1A, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :	
WARNING	
Product identifiers : EC 259-174-3 601-029-00-7 EC 204-262-9 EC 201-134-4 EC 251-020-3 EC 250-863-4	1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE (R)-P-MENTHA-1,8-DIENE BENZYL SALICYLATE LINALOOL ACETYL CEDRENE 3 AND 4-(4-HYDROXY-4-METHYLPENTYL)-3-CYCLOHEXENE-1-CARBOXALDEHYDE
EC 202-086-7	COUMARIN
EC 201-289-8	P-T-BUTYL-ALPHA-METHYLHYDROCINNAMIC ALDEHYDE
EC 204-872-5	BETA-PINENE METUVU 2. NONVNO ATE
EC 203-909-2	METHYL 2-NONYNOATE
Hazard statements :	
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statemer	nts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statemer	nts - Prevention :
P273	Avoid release to the environment.

Precautionary statements - Response :

P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 54464-57-2	GHS07, GHS09		2.5 <= x % < 10
EC: 259-174-3	Wng		
	Skin Irrit. 2, H315		
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TET			
AMETHYL-2-NAPHTHALENYL)ETHANON			
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
INDEX: 601-029-00-7	GHS02, GHS07, GHS09	[1]	$0 \le x \% \le 2.5$
CAS: 5989-27-5	Wng	[+]	0
EC: 227-813-5	Flam. Liq. 3, H226		
EC. 227-015-5	Skin Irrit. 2, H315		
(D) D MENTILA 1.9 DIENE	Skin Sens. 1, H317		
(R)-P-MENTHA-1,8-DIENE			
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 115-95-7	GHS07		0 <= x % < 2.5
EC: 204-116-4	Wng		
	Eye Irrit. 2, H319		
LINALYL ACETATE	Skin Irrit. 2, H315		
CAS: 118-58-1	GHS07		0 <= x % < 2.5
EC: 204-262-9	Wng		
	Skin Sens. 1B, H317		
BENZYL SALICYLATE	Eye Irrit. 2, H319		
	Aquatic Chronic 3, H412		
CAS: 78-70-6	GHS07		0 <= x % < 2.5
EC: 201-134-4	Wng		
	Skin Irrit. 2, H315		
LINALOOL	Skin Sens. 1B, H317		
	Eye Irrit. 2, H319		
CAS: 1506-02-1	GHS07, GHS09		0 <= x % < 2.5
EC: 216-133-4	Wng		0 1 1 10 210
20.210 100 1	Acute Tox. 4, H302		
1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXA			
ETHYL-2-NAPHTHYL)ETHAN-1-ONE	M Acute = $1$		
(FIXOLID)	Aquatic Chronic 1, H410		
(LIXOLID)	M Chronic = $1$		
CAS: 120-51-4	GHS07, GHS09		0 <= x % < 2.5
			0 < -x % < 2.3
EC: 204-402-9	Wng		
	Acute Tox. 4, H302		
BENZYL BENZOATE	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 32388-55-9	GHS07, GHS09		0 <= x % < 2.5
EC: 251-020-3	Wng		
	Skin Sens. 1B, H317		
ACETYL CEDRENE	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

		- 1	· · · · · · · · · · · · · · · · · · ·
INDEX: 603-212-00-7	GHS09		0 <= x % < 2.5
CAS: 1222-05-5	Wng		
EC: 214-946-9	Aquatic Acute 1, H400		
	M Acute = 1		
1,3,4,6,7,8-HEXAHYDRO-	Aquatic Chronic 1, H410		
4,6,6,7,8,8-HEXAMETHYL-	M Chronic = 1		
INDENO[5,6-C]PYRAN			
CAS: 31906-04-4	GHS07		0 <= x % < 2.5
EC: 250-863-4	Wng		
	Skin Sens. 1A, H317		
3 AND			
4-(4-HYDROXY-4-METHYLPENTYL)-3-CYC			
LOHEXENE-1-CARBOXALDEHYDE			
CAS: 91-64-5	GHS07		0 <= x % < 2.5
EC: 202-086-7	Wng		
	Acute Tox. 4, H302		
COUMARIN	Skin Sens. 1B, H317		
CAS: 2050-08-0	GHS07, GHS09		0 <= x % < 2.5
EC: 218-080-2	Wng		
	Acute Tox. 4, H302		
AMYL SALICYLATE	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 80-54-6	GHS07, GHS08, GHS09	[2]	0 <= x % < 2.5
EC: 201-289-8	Wng		
	Acute Tox. 4, H302		
P-T-BUTYL-ALPHA-METHYLHYDROCINNA			
MIC ALDEHYDE	Skin Sens. 1B, H317		
	Repr. 2, H361		
	Aquatic Chronic 2, H411		
CAS: 127-91-3	GHS08, GHS02, GHS07, GHS09	[1]	$0 \le x \% \le 2.5$
EC: 204-872-5	Dgr		
	Flam. Liq. 3, H226		
BETA-PINENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 111-80-8	GHS07		0 <= x % < 2.5
EC: 203-909-2	Wng		
	Acute Tox. 4, H302		
METHYL 2-NONYNOATE	Skin Sens. 1, H317		
CAS: 80-56-8	GHS02, GHS07, GHS08, GHS09	[1]	0 <= x % < 2.5
EC: 201-291-9	Dgr		
	Flam. Liq. 3, H226		
ALPHA-PINENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 5392-40-5	GHS07	[1]	0 <= x % < 2.5
EC: 226-394-6	Wng		
	Skin Irrit. 2, H315		
		1	1
CITRAL	Skin Sens. 1, H317 Eye Irrit. 2, H319		

## Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **5.3.** Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

## 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### **Fire prevention :**

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :** 

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

## Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

## **8.1.** Control parameters

## Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
127-91-3	20 ppm			SEN; A4	
80-56-8	20 ppm			SEN; A4	
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	
- Germany - AGW (	BAuA - TRGS	900, 07/06/2017	7):		

CA	\S	VME :	VME :	Excess	Notes
59	89-27-5		5 ppm		4(II)
			28 mg/m3		

## 8.2. Exposure controls

- Eye / face protection

Avoid contact with eyes.

#### - Body protection

Avoid skin contact.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

r i i i i i i i i i i i i i i i i i i i	
General information :	
Physical state :	Solid.
Important health, safety and environmental information	
pH :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
9.2. Other information	
No data available.	

### SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

Avoid :	
- formation of dusts	
Dusts can form an explosive mixture with air.	
10.5. Incompatible materials	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
ECTION 11 : TOXICOLOGICAL INFORMATIO	N
11.1. Information on toxicological effects	
May cause an allergic reaction by skin contact.	
11.1.1. Substances	
Acute toxicity :	
ALPHA-PINENE (CAS: 80-56-8)	
Oral route :	LD50 = 3500  mg/kg
METHYL 2-NONYNOATE (CAS: 111-80-8)	
Oral route :	LD50 = 1600  mg/kg
Dermal route :	LD50 = 4500  mg/kg
P-T-BUTYL-ALPHA-METHYLHYDROCINNA Oral route :	AMIC ALDEHYDE (CAS: $80-54-6$ ) LD50 = 1390 mg/kg
oral route .	
AMYL SALICYLATE (CAS: 2050-08-0)	
Oral route :	LD50 = 2000  mg/kg
COUMARIN (CAS: 91-64-5)	
Oral route :	LD50 = 500  mg/kg
BENZYL BENZOATE (CAS: 120-51-4)	
Oral route :	LD50 = 1500  mg/kg
Dermal route :	LD50 = 4000  mg/kg
1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAN	IETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID) (CAS: 1506-02-1)
Oral route :	LD50 = 1000  mg/kg
LINALOOL (CAS: 78-70-6)	
Oral route :	LD50 = 2790  mg/kg
BENZYL SALICYLATE (CAS: 118-58-1)	
Oral route :	LD50 = 2200  mg/kg

No toxicological data available for the mixture.

## Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

## SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

## 12.1. Toxicity

### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

### 14.1. UN number

3077

## 14.2. UN proper shipping name

UN3077=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (fixolid))

## 14.3. Transport hazard class(es)

- Classification :

#### 9

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

Land transport (ADR/RID) exeption: NOT RESTRICTED as per Special Provisions 375/ADR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of ADR. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Sea transport (IMDG) exeption: NOT RESTRICTED as per 2.10.2.7/IMDG code 37-14. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of IMDG code. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Air transport (IATA) exeption: NOT RESTRICTED as per Special Provisions A197/DGR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of these Regulations. The packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M7	III	9	90	5 kg	274 335 375 601	E1	3	-
Not subject to this regulation if $Q \le 51/5$ kg (ADR 3.3.1 - DS 375)										
IMDG	Class	2°Label	Pack or.	LO	EMS	Provis	EO			

	9	-	III	5 kg	F-A,S-F	274 335 969	E1		
	Not subj	ect to this r	egulation it	$fQ \le 51/5$	kg (IMDG 3	.3.1 - 2.10.2.7)			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	956	400 kg	956	400 kg	A97	E1
							-	A158	
								A179	
								A197	
	9	-	III	Y956	30 kg G	-	-	A97	E1
					-			A158	
								A179	
								A197	

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG. For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## **SECTION 15 : REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

### 15.2. Chemical safety assessment

No data available.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.